

# End of Life contract 24-25

CEG Tuesdays, 10 February 2025

**Jo Tissier**

Senior Primary Care Facilitator (City & Hackney)  
Clinical Effectiveness Group (CEG)

---

# Aims of presentation

- Review indicators for End of Life Contract
- Demonstrate CEG searches and tools
- Easy wins

# End of Life

- GPs to identify patients who are in the last year (s) of life and add them to the Anticipatory Palliative Care Register.
- Create a care plan with patients and record details of this on the new Universal Care Plan (UCP).
- Increase the numbers of patients dying in their preferred place of death (this is linked to an outcome payment).

Note: Patients on AC register may also be on the PCHV register (if housebound and teemed to be in the last year of life)

# Overlap with QOF

**Patients within this scheme may also attract payments under QOF.**

**However, this contract also covers having advance care plans, sharing ACPs using UCP platform.**

## **Payment:**

£113.82 per patient if GP confederation achieve minimum cap (60% of payable patients).

If 60% patients die in their preferred place of death, additional payment will be awarded to the IPC...which then gets distributed proportionately on practice achievement.

# Completion of indicators for payment

How does an APC patient become 'Payable'?

1. Universal care plan – New or reviewed in FY.
2. Resuscitation discussed - FY
3. Preferred place of care recorded – FY
4. Preferred place of death - FY

# Outcome Target – 60%

Please record Actual place and date of death.

Unless preferred place of death and actual place of death is recorded, we are not able to determine how many patients achieved dying in their preferred place of death

# FAQs

## Which template can I use to record data?

- CEG Palliative Care
- Page on CEG Proactive Care Template

## Are there any personalised care adjustments (Exception coding) – on template?

Care plan – declined code acceptable

Discussion about resuscitation – Discussion about resuscitation not appropriate acceptable

Preferred place of death – Patient declined discussion/unable to express preference/patient undecided/discussion not appropriate all acceptable

Preferred place of care - Patient declined discussion/unable to express preference/patient undecided all acceptable

## [LIVE DEMONSTRATION OF HOW TO USE THE SEARCHES]



# Easy wins

Check the support searches if missing one indicator


Check if actual place of death is missing and review practice procedures for recording death

Check QOF palliative care register as might help you identify patients for the CH ACP

# Protocols and zap template

Encourage clinicians to use alert box.

CEG have built alerts for when patient is missing indicators for End of Life indicators

Will highlight what elements are missing and click on  use zap template to complete opportunistically.

|                            |   |  |
|----------------------------|---|--|
| Pages                      | « | <b>Anticipatory palliative care</b>  |
| Pulse rhythm               |   | Last entry of anticipatory palliative care                                 |
| Autopage                   |   | <b>Urgent care plan</b>  |
| Influenza and Pneumococcal |   | <input type="checkbox"/> **Coordinated support plan                        |
| Named GP                   |   | Or if patient declines code below:   |
| Dementia DES               |   | <input type="checkbox"/> **Anticipatory care plan declined by patient      |
| Exception Codes (E)        |   | Or if patient already has a UCP and you are reviewing the plan code below: |
| <b>End of Life</b>         |   | <input type="checkbox"/> **Review of anticipatory care plan                |
|                            |   | <b>Resuscitation discussed</b>   |
|                            |   | **Resuscitation discussed <input type="text"/>                             |
|                            |   | <b>Preferred place of care</b>   |
|                            |   | **Preferred place of care <input type="text"/>                             |
|                            |   | <b>Preferred place of death</b>  |
|                            |   | **Preferred place of death <input type="text"/>                            |

Thank you – questions?



Queen Mary  
University of London

[qmul.ac.uk/ceg](http://qmul.ac.uk/ceg)

 @QMUL\_CEG